

# Accreditation



The Deutsche Akkreditierungsstelle attests with this **Accreditation Certificate** that the calibration laboratory

**Opsytec Dr. Gröbel GmbH**  
**Am Hardtwald 6 - 8, 76275 Ettlingen**

meets the requirements according to DIN EN ISO/IEC 17025:2018 for the conformity assessment activities listed in the annex to this certificate. This includes additional existing legal and normative requirements for the calibration laboratory, including those in relevant sectoral schemes, provided they are explicitly confirmed in the annex to this certificate.

The management system requirements of DIN EN ISO/IEC 17025 are written in the language relevant to the operations of calibration laboratories and they conform to the general principles of DIN EN ISO 9001.

This accreditation was issued in accordance with Art. 5 Para. 1 Sentence 2 of Regulation (EC) 765/2008, after an accreditation procedure was carried out in compliance with the minimum requirements of DIN EN ISO/IEC 17011 and on the basis of a review and decision of the appointed accreditation committees.

This accreditation certificate only applies in connection with the notices of 04.10.2023 with accreditation number D-K-20284-01.

It consists of this cover sheet, the reverse side of the cover sheet and the following annex with a total of 2 pages.

Registration number of the accreditation certificate: **D-K-20284-01-00**

Berlin, 04.10.2023

Dr. Florian Witt  
Head of Technical Unit

Translation issued:  
04.10.2023



Dr. Florian Witt  
Head of Technical Unit

*The certificate together with the annex reflects the status as indicated by the date of issue. The current status of any given scope of accreditation can be found in the directory of accredited bodies maintained by Deutsche Akkreditierungsstelle GmbH ([www.dakks.de](http://www.dakks.de)).*

This document is a translation. The definitive version is the original German accreditation certificate.

See notes overleaf

# Deutsche Akkreditierungsstelle GmbH

Office Berlin  
Spittelmarkt 10  
10117 Berlin

Office Frankfurt am Main  
Europa-Allee 52  
60327 Frankfurt am Main

Office Braunschweig  
Bundesallee 100  
38116 Braunschweig

The Deutsche Akkreditierungsstelle GmbH (DAkKS) is the entrusted national accreditation body of the Federal Republic of Germany according to § 8 section 1 AkkStelleG in conjunction with § 1 section 1 AkkStelleGBV. DAkKS is designated as the national accreditation authority by Germany according to Art. 4 Para. 4 of Regulation (EC) 765/2008 and clause 4.7 of DIN EN ISO/IEC 17000.

Pursuant to Art. 11 section 2 of Regulation (EC) 765/2008, the accreditation certificate shall be recognised as equivalent by the national authorities within the scope of this Regulation as well as by the WTO member states that have committed themselves in bilateral or multilateral mutual agreements to recognise the certificates of accreditation bodies that are members of ILAC or IAF as equivalent.

DAkKS is a signatory to the multilateral agreements for mutual recognition of the European co-operation for Accreditation (EA), International Accreditation Forum (IAF) and International Laboratory Accreditation Co-operation (ILAC).

The up-to-date state of membership can be retrieved from the following websites:

EA: [www.european-accreditation.org](http://www.european-accreditation.org)

ILAC: [www.ilac.org](http://www.ilac.org)

IAF: [www.iaf.nu](http://www.iaf.nu)

## Deutsche Akkreditierungsstelle

### Annex to the Accreditation Certificate D-K-20284-01-00 according to DIN EN ISO/IEC 17025:2018

**Valid from:** 04.10.2023

**Date of issue:** 04.10.2023

Holder of accreditation certificate:

**Opsytec Dr. Gröbel GmbH  
Am Hardtwald 6 - 8, 76275 Ettlingen**

The calibration laboratory meets the requirements of DIN EN ISO/IEC 17025:2018 to carry out the conformity assessment activities listed in this annex. The calibration laboratory meets additional legal and normative requirements, if applicable, including those in relevant sectoral schemes, provided that these are explicitly confirmed below.

The management system requirements of DIN EN ISO/IEC 17025 are written in the language relevant to the operations of calibration laboratories and they conform to the general principles of DIN EN ISO 9001.

Calibration in the fields:

**Optical quantities**  
– Radiometry

**The calibration laboratory is permitted, without being required to inform and obtain prior approval from DAkkS, to use calibration standards or equivalent calibration procedures listed here with different issue dates.**

**The calibration laboratory maintains a current list of all calibration standards / equivalent calibration procedures within the flexible scope of accreditation.**

*This certificate annex is only valid together with the written accreditation certificate and reflects the status as indicated by the date of issue. The current status of any given scope of accreditation can be found in the directory of accredited bodies maintained by Deutsche Akkreditierungsstelle GmbH at <https://www.dakks.de>.*

Abbreviations used: see last page

**Page 1 of 2**

**This document is a translation. The definitive version is the original German annex to the accreditation certificate.**

**Annex to the Accreditation Certificate D-K-20284-01-00**

**Permanentes Laboratorium**

**Calibration and Measurement Capabilities (CMC)**

Measurement quantity / Calibration item	Range	Measurement conditions / procedure	Expanded uncertainty of measurement	Remarks
Irradiance / broad-band radiometer with display	200 nm to 230 nm 2 mW/m <sup>2</sup> to 2 · 10 <sup>5</sup> W/m <sup>2</sup>	ASTM G130-12(2020)	6.0 %	The calibration of radiometers is limited to the specific application of the customer and is valid only for the geometric and radiometric conditions during the calibration (e.g. the linearity, the cosine correction and the spectral mismatch to the corresponding actinic action spectrum of the detector).
	230 nm to 280 nm 2 mW/m <sup>2</sup> to 1 · 10 <sup>5</sup> W/m <sup>2</sup>		3.7 %	
	280 nm to 315 nm 1 mW/m <sup>2</sup> to 1.8 · 10 <sup>5</sup> W/m <sup>2</sup>		3.5 %	
	315 nm to 400 nm 1 mW/m <sup>2</sup> to 1.8 · 10 <sup>5</sup> W/m <sup>2</sup>		3.3 %	
	400 nm to 850 nm 1 mW/m <sup>2</sup> to 1.8 · 10 <sup>5</sup> W/m <sup>2</sup>		2.8 %	
	850 nm to 1000 nm 1 mW/m <sup>2</sup> to 1 · 10 <sup>5</sup> W/m <sup>2</sup>		4.0 %	
	200 nm to 230 nm 2 mW/m <sup>2</sup> to 2 · 10 <sup>5</sup> W/m <sup>2</sup>	ASTM E824-18	7.0 %	
	230 nm to 280 nm 2 mW/m <sup>2</sup> to 1 · 10 <sup>5</sup> W/m <sup>2</sup>		5.0 %	
	280 nm to 315 nm 1 mW/m <sup>2</sup> to 1.8 · 10 <sup>5</sup> W/m <sup>2</sup>		4.5 %	
	315 nm to 400 nm 1 mW/m <sup>2</sup> to 1.8 · 10 <sup>5</sup> W/m <sup>2</sup>		4.5 %	
	400 nm to 850 nm 1 mW/m <sup>2</sup> to 1.8 · 10 <sup>5</sup> W/m <sup>2</sup>		3.8 %	
	850 nm to 1000 nm 1 mW/m <sup>2</sup> to 1 · 10 <sup>5</sup> W/m <sup>2</sup>		5.0 %	

**Abbreviations used:**

ASTM	ASTM American Standard for Testing and Materials
ASTM	ASTM American Standard for Testing and Materials
ASTM G130-12(2020):	Standard Test Method for Calibration of Narrow- and Broad-Band Ultraviolet Radiometers using a Spectroradiometer
ASTM E824-18:	Standard Test Method for Transfer of Calibration from Reference to Field Radiometers
DIN	Deutsches Institut für Normung e.V. – German institute for standardization
EN	Europäische Norm – European Standard
IEC	International Electrotechnical Commission

Valid from: 04.10.2023

Date of issue: 04.10.2023